

FIG. 1




FIG. 2




FIG. 3(a)




FIG. 3(b)




FIG. 3(c)




FIG. 4(a)




FIG. 4(b)




FIG. 5




FIG. 6

CORROSION-RESISTIVITY OF
SURFACE-TREATED MATERIALS

TEST SOLUTION : pH3.0 ~3.3, 70°C

POTENTIAL : Ag/AgCl/sat.KCl at 25°C





FIG. 7 WEARING TEST RESULTS OF MATERIAL SKD11 AND VARIOUS KINDS OF SURFACE-TREATED MATERIALS (1/2)



20060229016001

FIG. 8 WEARING TEST RESULTS OF MATERIAL SKD11 AND VARIOUS KINDS OF SURFACE-TREATED MATERIALS (2/2)





FIG. 9



2004057 02301

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14(a)




FIG. 14(b)





FIG. 15



20020228 "23911" 381NP/50923

FIG. 16(a)




FIG. 16(b)




FIG. 16(c)




FIG. 17(a)




FIG. 17(b)




FIG. 17(c)




FIG. 18




FIG. 19





FIG. 20



20 μ m

FIG. 21




FIG. 22




FIG. 23

